

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.				
1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE 10 Feb 1995		3. REPORT TYPE AND DATES COVERED Final 3/1/89-2/28/94
4. TITLE AND SUBTITLE Chemical, structural and genetic analysis of the adhesive holdfast of biofouling Caulobacters			5. FUNDING NUMBERS N0014-89-J-1749	
6. AUTHOR(S) John Smit				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) University of British Columbia Vancouver, British Columbia V6T 1Z3 Canada			8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Office of Naval Research 800 N. Quincy Street Arlington, Virginia 22217			10. SPONSORING/MONITORING AGENCY REPORT NUMBER	
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION / AVAILABILITY STATEMENT			12b. DISTRIBUTION CODE	
			19951027 027	
13. ABSTRACT (Maximum 200 words) This project was focussed on issues related to the adhesion device used by marine and freshwater biofouling Caulobacter bacteria. The longterm goal of these studies was to improve our understanding of how fouling bacteria attach to surfaces and to consider potential strategies to prevent bacterial attachment to engineered surfaces. Progress on the four following OBJECTIVES during the course of the grant are reviewed: 1) Determination of the chemical composition and structural arrangement of monosaccharides and other substituents within the holdfasts of selected marine and freshwater Caulobacters. 2) Characterization of the types of surfaces to which holdfasts will adhere. 3) Cloning and analysis of the genes specifying the holdfasts of selected marine and freshwater Caulobacters. 4) Continuation of the development of capabilities for molecular genetic experimentation in a marine Caulobacter strain. 5) Evaluation of the occurrence, stability and behavior of Caulobacters on surfaces and in complex biofilms.				
14. SUBJECT TERMS Biofouling, bacteria, Caulobacter, adhesives			15. NUMBER OF PAGES 6	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT unclassified		18. SECURITY CLASSIFICATION OF THIS PAGE		19. SECURITY CLASSIFICATION OF ABSTRACT
				20. LIMITATION OF ABSTRACT UL

FINAL TECHNICAL REPORT

GRANT # N00014-89-J-1749

R&T CODE: 441h006

PRINCIPLE INVESTIGATOR: John Smit


INSTITUTION: University of British Columbia, Department of Microbiology

GRANT TITLE: Chemical, structural and genetic analysis of the adhesive holdfast of biofouling Caulobacters.

REPORTING PERIOD: 1 March 1989 to 28 February 1994.

OBJECTIVES:

- 1) Determine the chemical composition and structural arrangement of monosaccharides and other substituents within the holdfasts of selected marine and freshwater Caulobacters.
- 2) Characterize the types of surfaces to which holdfasts will adhere.
- 3) Clone and analyze the genes specifying the holdfasts of selected marine and freshwater Caulobacters.
- 4) Continue developing and evaluating the capabilities of selected marine Caulobacters for molecular genetic experimentation.
- 5) To evaluate the occurrence, stability and behavior of Caulobacters on surfaces and in complex biofilms.



Unrecorded	
Investigation	
Permitted	
By enclosed	
Distribution	
Available by T. Red	
Dist	Special
A-1	

ACCOMPLISHMENTS

1) Chemical analysis of the adhesive holdfast of *C. crescentus* CB2A


We have refined an isolation procedure based on the observation that holdfasts bind very tightly to colloidal gold particles. Once bound, the holdfast is no longer adhesive and the complex can be isolated by density centrifugation. We isolated overproducing, holdfast-"shedding" mutants that greatly assisted this process. We still have problems getting the holdfast sufficiently purified from other surface polysaccharides, but by selecting mutants that are missing offending polysaccharides, characterizing a major source of contamination (LPS) and modifying the isolation technique by using both sucrose and CsCl density gradients we have greatly improved the overall procedure. In the end we worked out media and growth conditions for large scale fermentor runs (ie, 60-100 liters) and engineered a triple mutant that was a holdfast shedder, holdfast overproducer and in the absence of calcium showed repressed polysaccharide of the offending LPS species. We are still analyzing polysaccharide that resulted from a last large scale run. The difficulty

is not in identifying major sugars (which we already know about), but to find some new aspect of the polysaccharide that may lead to an understanding of why it is adhesive.

2) On the adhesive properties of the holdfast.

As part of studies aimed at discerning what types of surfaces to which the *Caulobacters* will attach, glass surfaces were covalently modified with a variety of chemical substituents (provided by Dan Rittschoff, Duke University Marine Labs), resulting in surfaces ranging from highly charged to very hydrophobic. Using a quantitative static flow attachment assay we learned was that *Caulobacters* will attach to virtually all surfaces at at least moderate frequency, but appear to prefer substrates that are moderately hydrophobic. Freshwater *Caulobacters* attach better to very hydrophobic surfaces than do marine *Caulobacters*. By growing marine strains that tolerate low ionic strength media in a freshwater medium, we learned that the salts in seawater are apparently responsible for lowered adhesiveness to hydrophobic surfaces.

We also used the same assay to determine the preference of the *Caulobacter* adhesive for various metal surfaces, by evaporating metals onto glass surfaces. We knew the holdfast binds tightly to metals such as gold and silver, but wish to learn if there is a preference for these metals over other types of surfaces. Some of the results are shown in this figure.



It is clear that *Caulobacters* attach very efficiently to most metals and have a particular preference for titanium.

3) Identification and analysis of *Caulobacter* holdfast related genes

A-Genes that specify the holdfast structure of a freshwater *Caulobacter*


We prepared a library of 16,000 independent transposon Tn5 insertions in *Caulobacter crescentus* CB2A, isolated 78 holdfast-defective mutants and began genetic analysis of the relevant gene regions. We have learned that the mutants cluster in 4 regions throughout the genome and have a number of phenotypes. We also cloned a segment of DNA from each of the 4 regions. Our results are summarized in the table on the following page.

We placed emphasis of the shedder phenotype, because we believe the genes in question are responsible for anchoring the holdfast to the cell surface. Thus the stalk tip is a "perfect" substrate and therefore

TABLE. Holdfast related genes of the freshwater *Caulobacter crescentus*

<u>Cluster</u>	<u>Phenotypes</u>	<u>Size of Cloned Region</u>
A	Reduced level or altered holdfast .	9.2 Kb (Eco R1)
B	Holdfast shedder	12 Kb (SstI/EcoR1)
C	No Holdfast	14.3 Kb (SstI)
D	a)No Holdfast	12.2 Kb (ClaI/KpnI)
	b)Reduced level or altered holdfast	

molecular genetic methods can ultimately be used to analyze the molecular details of adhesion. We have defined 4 genes; one (B) is a transcriptional activator for one other gene (C), whose role is probably the transport of holdfast out of the cell (it is an ATP-binding protein). A and B are transcribed from a σ_{54} -type promoter, associated with developmental regulation in *Caulobacter*. We believe D is a transmembrane anchor, while A is a linker protein, bridging the holdfast and D. A model for our current view of the region follows:



We have cloned uninterrupted genome segments from the other 3 regions as well and are defining the minimum size of DNA that will complement the holdfast-defective phenotype produced by the Tn5 insertions, in preparation for DNA sequencing of these regions. At the conclusion of funding we are focussing on the Cluster D region, which appears to contain multiple structure-related holdfast genes and DNA sequencing of this region is occurring at this writing

B-Genes that specify the holdfast of marine *Caulobacter* MCS6

From a library of 20,000 Tn5 insertion mutants we isolated holdfast-defective mutants. Southern analysis defined 4 regions of the genome that have holdfast-related genes; mutants in 3 regions produce little or no holdfast. The fourth group exhibit a holdfast that appears normal by visual techniques but is poorly adhesive to polystyrene. Regions of DNA have been identified in a cosmid library prepared for MCS6 DNA for all groups, complementation has been confirmed for all but one. As chemical analysis information becomes available for the marine holdfast, learning the exact chemical defect will be important.

4) Developing the capabilities of marine *Caulobacter* MCS6 for molecular genetic experimentation. We published a series of plasmid vectors, designed for gene expression in *Caulobacters*, including the marine MCS6. These will become important for future studies on holdfast gene regulation. We also developed a procedure for introducing plasmids into marine *Caulobacters* by electroporation, greatly increasing the ease of introducing genes into this bacterium.

5) The occurrence, stability and behavior of Caulobacters on surfaces and in complex biofilms, in collaboration with ONR-funded researchers and others.

In collaboration with David Stahl (presently at Northwestern) we published a study comparing the 16S rRNA sequences of marine and freshwater Caulobacters. In it we theorized that all Caulobacters are at least distantly related and that the marine Caulobacters may be the ancestral source of present-day freshwater Caulobacters. Another consequence of the work was the identification of nucleotide sequences within the 16S mRNA that are apparently unique to the marine and freshwater Caulobacter groups and which can now be used to generate probes to directly assess abundance of marine or freshwater Caulobacters in complex biofilms.

At the very conclusion of the funding period a study identifying signature lipids for the Caulobacters and the effects of typical environmental variables on the lipid profiles was begun in two laboratories: with Herb Frederickson and Wolf-Rainer Abraham at the German Biotechnology Institute in Braunschweig, Germany and with David White at the University of Tennessee. Data is still being analyzed but one result will be a phylogenetic analysis which will be compared to that obtained by 16S mRNA studies.

We are also midcourse in studies aimed at defining the stability of Caulobacters in engineered biofilms, monitoring survival characteristics under various types of stress and their response to a variety of nutrient loading rates. This is being done with Robin Turner (Biotechnology Lab, University of British Columbia) and with James Atwater (Engineering Department, UBC) and involves flow cells coupled to image analysis computers and bench scale bioreactors.

PUBLICATIONS AND REPORTS RELEVANT TO THIS GRANT

- Ong, C, M.L.Y. Wong, and J. Smit. 1990. Attachment of the adhesive holdfast organelle to the cellular stalk of *Caulobacter crescentus*. J. Bacteriol. 172, 1448-1456.
- Mitchell, D., and J. Smit. 1990. Identification of the genes affecting production of the adhesion organelle of *Caulobacter crescentus* CB2. J. Bacteriol. 172, 5425-5431.
- Bingle, W.H., and J. Smit. 1990. High level plasmid expression vectors for *Caulobacter crescentus* incorporating the transcription and transcription-translation initiation regions of the paracrystalline surface layer protein gene. Plasmid 24, 143-148.
- Gilchrist, A., and J. Smit. 1991. Transformation of freshwater and marine Caulobacters by electroporation. J. Bacteriol. 173, 921-925.
- Ravenscroft, N., S.G. Walker, G.G.S. Dutton, and J. Smit. 1991. Identification, isolation and structural studies of extracellular polysaccharides produced by *Caulobacter crescentus*. J. Bacteriol. 173, 5677-5684.
- Stahl, D.A., R. Key, B. Flesher, and J. Smit. 1992. The phylogeny of marine and freshwater Caulobacters reflects their habitat. J. Bacteriol. 174, 2193-2198.

- Kurtz, H.D., and J. Smit. 1992. Analysis of a *Caulobacter crescentus* gene cluster involved in attachment of the holdfast to the cell. J. Bacteriol. 174, 687-694.
- Ravenscroft, N., S.G. Walker, G.G.S. Dutton, and J. Smit. 1992. Identification, isolation and structural studies of the outer membrane lipopolysaccharide of *Caulobacter crescentus*. J. Bacteriol. 174, 7595-7605.
- Nivens, D.E., J.Q. Chambers, T.R. Anderson, A. Tunlid, J. Smit, and D.C. White. 1993. Monitoring microbial adhesion and biofilm formation by attenuated total reflection/Fourier transform infrared spectroscopy. J. Microbiol. Methods 17, 199-213.
- Yun, C., B. Ely, and J. Smit. 1994. Identification of genes affecting production of the adhesive holdfast organelle of a marine *Caulobacter*. J. Bacteriol. 176, 796-803.
- Kurtz, Jr., H.D., and J. Smit. 1994. The *Caulobacter crescentus* holdfast: Identification of holdfast attachment complex genes. FEMS Microbiol. Letters 116, 175-182.

Currently in Preparation

- Merker, R.I., D. Rittschoff, and J. Smit. Adhesive properties of marine and freshwater *caulobacter* holdfasts. For Appl. Environ. Microbiol.
- Ravenscroft, N., N. Kurunaratne, P. Valentine, and J. Smit. Isolation and chemical characterization of the adhesive holdfast of *Caulobacter crescentus*. For J. Bacteriol.

Abstracts

- Smit, J. 1989. Characterization of surface adhesion in marine and freshwater *Caulobacters*. Office of Naval Research, Marine Biosurfaces Program, Hopkins Marine Station, Pacific Grove, California.
- Walker, S.G., N. Ravenscroft, G.G.S. Dutton, and J. Smit. 1990. *Caulobacter crescentus* surface polysaccharides and surface layer assembly. Abstracts of the Annual Meeting, Canadian Society of Microbiologists.
- Gilchrist, A., and J. Smit. 1990. Electrotransformation of *Caulobacters*. Abstracts of the Annual Meeting, Canadian Society of Microbiologists.
- Kurtz, Jr., H.D., and J. Smit. 1990. Preliminary characterization of the *Caulobacter* holdfast attachment protein. Annual Meeting, Northwest Branch, American Society for Microbiology.
- Ravenscroft, N., S.G. Walker, and J. Smit. 1990. The chemistry of adhesion in *Caulobacters*. International Conference: "Bioadhesion-A physico-chemical approach of biological adhesion in dentistry, medicine and industry", Groningen, Netherlands.
- Yun, C., and J. Smit. 1991. Identification of genes required for production of the adhesive holdfast organelle of marine *Caulobacter*

MCS6. 22nd Annual Western Branch Meeting of the Canadian Society of Microbiologists, Vancouver, BC.

- Walker, S.G., N. Ravenscroft, and J. Smit. 1991. Isolation of the cell surface molecules of *Caulobacter crescentus*. 22nd Annual Western Branch Meeting of the Canadian Society of Microbiologists, Vancouver, BC.
- Kurtz, Jr., H.D., A. Kim, and J. Smit. 1991. Genetic analysis of the *Caulobacter crescentus* holdfast structure. 22nd Annual Western Branch Meeting of the Canadian Society of Microbiologists, Vancouver, BC.
- Walker, S.G., and J. Smit. 1993. Effect of cations on the growth of *Caulobacter crescentus* NA1000 and a calcium independent mutant. Abstracts of the Canadian Society of Microbiologists/Society of Industrial Microbiology joint annual meeting, Toronto, Ontario, August.



OFFICE OF THE UNDER SECRETARY OF DEFENSE (ACQUISITION)
DEFENSE TECHNICAL INFORMATION CENTER
CAMERON STATION
ALEXANDRIA, VIRGINIA 22304-6145

IN REPLY
REFER TO

DTIC-OCC

SUBJECT: Distribution Statements on Technical Documents

TO: OFFICE OF NAVAL RESEARCH
CORPORATE PROGRAMS DIVISION
CNR 353
800 NORTH QUINCY STREET
ARLINGTON, VA 22217-5660

1. Reference: DoD Directive 5230.24, Distribution Statements on Technical Documents, 18 Mar 87.

2. The Defense Technical Information Center received the enclosed report (referenced below) which is not marked in accordance with the above reference.

FINAL REPORT
N0014-89-J-1749
TITLE: CHEMICAL, STRUCTURAL AND
GENETIC ANALYSIS OF THE ADHESIVE
HOLDFAST OF BIOFOULING
CAULOBACTERS

3. We request the appropriate distribution statement be assigned and the report returned to DTIC within 5 working days.

4. Approved distribution statements are listed on the reverse of this letter. If you have any questions regarding these statements, call DTIC's Cataloging Branch, (703) 274-6837.

FOR THE ADMINISTRATOR:

1 Encl

GOPALAKRISHNAN NAIR
Chief, Cataloging Branch

FL-171
Jul 93

1995 1027 027

DISTRIBUTION STATEMENT A:

APPROVED FOR PUBLIC RELEASE: DISTRIBUTION IS UNLIMITED

DISTRIBUTION STATEMENT B:

DISTRIBUTION AUTHORIZED TO U.S. GOVERNMENT AGENCIES ONLY;
(Indicate Reason and Date Below). OTHER REQUESTS FOR THIS DOCUMENT SHALL BE REFERRED
TO (Indicate Controlling DoD Office Below).

DISTRIBUTION STATEMENT C:

DISTRIBUTION AUTHORIZED TO U.S. GOVERNMENT AGENCIES AND THEIR CONTRACTORS;
(Indicate Reason and Date Below). OTHER REQUESTS FOR THIS DOCUMENT SHALL BE REFERRED
TO (Indicate Controlling DoD Office Below).

DISTRIBUTION STATEMENT D:

DISTRIBUTION AUTHORIZED TO DOD AND U.S. DOD CONTRACTORS ONLY; (Indicate Reason
and Date Below). OTHER REQUESTS SHALL BE REFERRED TO (Indicate Controlling DoD Office Below).

DISTRIBUTION STATEMENT E:

DISTRIBUTION AUTHORIZED TO DOD COMPONENTS ONLY; (Indicate Reason and Date Below).
OTHER REQUESTS SHALL BE REFERRED TO (Indicate Controlling DoD Office Below).

DISTRIBUTION STATEMENT F:

FURTHER DISSEMINATION ONLY AS DIRECTED BY (Indicate Controlling DoD Office and Date
Below) or HIGHER DOD AUTHORITY.

DISTRIBUTION STATEMENT X:

DISTRIBUTION AUTHORIZED TO U.S. GOVERNMENT AGENCIES AND PRIVATE INDIVIDUALS
OR ENTERPRISES ELIGIBLE TO OBTAIN EXPORT-CONTROLLED TECHNICAL DATA IN ACCORDANCE
WITH DOD DIRECTIVE 5230.25, WITHHOLDING OF UNCLASSIFIED TECHNICAL DATA FROM PUBLIC
DISCLOSURE, 6 Nov 1984 (Indicate date of determination). CONTROLLING DOD OFFICE IS (Indicate
Controlling DoD Office).

The cited documents has been reviewed by competent authority and the following distribution statement is
hereby authorized.

<u>A</u> (Statement)		OFFICE OF NAVAL RESEARCH CORPORATE PROGRAMS DIVISION ONR 353 800 NORTH QUINCY STREET ARLINGTON, VA 22217-5660	_____ (Controlling DoD Office Name)
_____ (Reason)	DEBRA T. HUGHES DEPUTY DIRECTOR CORPORATE PROGRAMS OFFICE	_____ (Controlling DoD Office Address, City, State, Zip)	19 SEP 1995
<u>Debra T. Hughes</u> (Signature & Typed Name)	_____ (Assigning Office)	_____ (Date Statement Assigned)	